



# KING GDS GrayLight Directory System

KING GDS is an internally illuminated directory and wayfinding solution which provides a changeable message system for retail, office and other building complexes. KING GDS is designed to enhance any interior environment and engineered for durability and functionality. The high output fluorescent lighting, internal ventilation and a concealed hinge and locking mechanism combine to make GDS extremely suitable for areas with high ambient light levels, such as office lobbies and retail malls.

### **BENEFITS**

- High contrast presentation of information
- Aesthetically appealing
- Low maintenance and highly durable, yielding extended life
- Unique face to casing reveal allows recess into a custom housing, shroud or wall cavity
- Ability to incorporate a variety of inserts including poster displays and maps
- Frameless graphics

### **FEATURES**


- Quick and easy updating
- Tongue and grove interlocking strips eliminate light leaks and facilitate installation of new tenant strips
- Meticulous design and manufacturing
- Gas-assist service arms support face panel of top hinged units for convenient maintenance
- 3/16" extruded aluminum casing
- 1/4" perimeter clearance for fully recessed installations
- Hinged carrier panel facilitates maintenance of electrical components

### **APPLICATIONS**

- Donor recognition displays
- Wayfinding and mapping systems
- Custom Solutions
- Directories for:
  - Retail centers
  - Government buildings
  - Residential buildings
  - Commercial buildings
  - Educational facilities
  - Hotels
  - Convention Centers
  - Airports
  - Healthcare facilities
  - Museums
  - Art Galleries











King Architectural Products Info@kingarchitecturalproducts.com www.kingarchitecturalproducts.com **Head Office:**31 Simpson Rd. Bolton, ON Canada, L7E 2R6
P: (905) 857-2804 F: (905) 857-3997


**US Toll Free:** 1 (877) 857-2804



### **SPECIFICATIONS**







### GDS 460

(4 3/8" graphic margin) Available in single-or double-sided. Finishes – black alum. duranodic hardcolor. Optional poster display and wayfinding map.

Total listings	Dim A		Dim B
144	75"	X	28"
216	75"	X	36"
288	75"	X	45"

Sizes are approximate.

# GDS 470 Recessed

(2 1/2" graphic margin) Available in proudmounted, semi and fully recessed versions Finishes – black alum. duranodic hardcolor. Optional wayfinding map.

Total listings	Dim A		Dim B
60	24"	X	27"
168	30"	X	51"
432	36"	X	94"

# GDS 470 Freestanding

(2 1/2" graphic margin) Available in natural anodized aluminum, stainless steel or brass cladding. Optional wayfinding map.

Total listings	Dim	A	Dim B
96	39"	X	30"
180	51"	×	36"
300	70"	X	36"

# 1/2" 67/8" Text 1/2" International 125

Typical 200mm Retail Listing Strip with 1/4" copy



Typical 250mm Office Building Listing Strip with 1/4" copy

# Retail Listing Strips

(2) strip sizes are available: Strip length Text height Text length 150mm .20" 4.9" 200mm .25" 6.875"

Custom strips are available

# Office Building Listing Strips

(2) strip sizes are available:
Strip length Text height Text length 200mm .20" 6.875"
250mm .25" 8.84"

# **Engraving Typefaces**

Listing strips are computer engraved with the following typefaces:

# Times New Roman

Helvetica

**Futura** 

Futura Light Condensed

Centennial



## **OPTIONS**

- Incorporation of touch screen information system
- Bullnose ends or headers
- Freestanding:
  - Monolithic
  - Angular
- Wall mounted:
  - Surface mounted
- $\ \mathsf{Semi-recessed}$
- Fully recessed
- Full color maps or graphics
- Casing finishes
  - Black anodic
- Natural anodized
- Custom paint
- Variety of typefaces available
- Variety of finishes available

# **REPLACEMENTS**

When changes are required, replacement inserts and maps will be provided promptly for installation into the directory. Interlocking tongue and groove directory strips stocked in our factory will be engraved and delivered within ten days from receipt of written follow-up orders.

## **STANDARD WARRANTY**

One-year warranty covering parts and labor for manufacturing defects.

